POPULATION ESTIMATE	S	LONG-TERM CARE -		LOCAL HEALTH DEPARTM	
Total 2004 Population 492,740		Community Options and MA Wa as HSRS reports costs for s	aiver services	Staffing - FTF Number	Per 10,000 Population
Population per square mile County ranking in state (1-72) .	•	i	Staffing - FTE Number Total staff 202.4 Administrative 28.0	4.1 0.6
Age Female Male 0-14 43,080 45,790	Total 88,840	MA Waiyan *	\$1,834,468 \$6,662,826	Administrative 28.0 Public health nurses 68.7 Other prof. staff 44.9 Technical/Paraprof. 20.0 Support staff 40.9	1.4 0.9 0.4
15-19 17.780 19.110	36,850 33,280	CIP1B 1,122 \$2 CIP2 367 \$	25,908,048 84,901,806	Support staff 40.9	
20-24 . 17,100 25-29 . 13,500 30-34 . 13,950	26,120 27,300	CIP1A 124 \$ CIP1B 1,122 \$2 CIP2 367 \$ COP-W 1,425 \$1 CLTS 83 Brain Injury 34 \$	11,737,546 \$816,211	Funding Total \$13,846,533 Local Taxes \$7,305,549	Per capita \$28.02
35-39 . 16,460 40-44 . 20,070 45-54 37,520 38,550	32,510 39,930 76,050	Total COP/Wvrs 3,287 \$5	53,178,996	LICENSED ESTABLISHME	
55-64 27,610 27,720 65-74 19,790 18,480	55,310 38,320	\$3,581,803 of the above wa were paid as local match/o	overmatch	Type Capacity	Facilities
75-84 15,210 11,450 85+ 3,770 Total 245,760	26,640 11,720 492,740	using COP funds. This amo not included in above COP	costs.	Type Capacity Bed & Breakfast 505 Camps 11,675 Hotels, Motels 20,064 Tourist Rooming 4,330	277 1,098
Age Female Male	Total	* Waiver costs reported he include federal funding.	ere	P0018	∠00
18-44 85,530 88,930	110,390 174,440 131,360	Clients Eligible and	Costs	Restaurants Vending	64
65+ 42,970 33,700 Total . 245,760	76,680 492,740	Eligible and Waiting 1,047		WT0	
Poverty Estimates for 2000 Estimate (C.I.+/-)	(Family Care data not avail	lable)	WIC PARTICIPANTS	Number
1 411 0000 00 000	•	Note: Eligible and waiting will be phased into the C Waivers as available.	clients OP and MA	Pregnant/Postpartum Infants Children, age 1-4 Total	4,628 4,828
Ages 0-17 12,212 a	ivallable	walvers as available.		Total	6,942 16,398
Average wage for jobs covered by unemployment compensation	 	Home Health Agencies Patients	11	CANCER INCIDENCE (20 Primary Site	·
(nlace of work)		Dationts non 10 000 non	116	Breast Cervical Colorectal	384 15 283
Labor Force Estimates	Average	Nursing Homes Licensed beds	59 5,663	Lung and Bronchus Prostate	367 402
Number employed Number unemployed	275,322 260,821 14.501	Residents on Dec.31 Residents age 65 or older	5,108	Other sites Total	1,165 2,616
Labor Force Estimates Civilian Labor Force Number employed Number unemployed Unemployment rate	5.3%	per 1,000 population	61	Note: Totals shown are for invasive cancers only.	

				NATA	LITY					
TOTAL LIVE BIRTHS		5,207					Marital	Status		
		-,	First	rder H n or higher wn natal Visit	2.004	38	of Mothe		Births	Percent
Crude Live Birth Rate		10.6	Second	1	1,690	32	Married		3,737	72
General Fertility Rate			Third	•	908	17	Not mar	ried	1 470	28
delicial referrition has	C	54.0	Fourth	or higher	604	12	Unknown	i ica	0	0
live binthe with nepe	n+od		Unknov	n or nitgiler	1	1 <u>2</u>	OHKHOWI		U	U
Live births with repo	i teu	76 1 50.	Ulikilov	VII	1	\. 5	Educatio	n		
Congenital anomalies	,	0 1.5%					of Mothe		Dintho	Donoon+
Dalidana Tama	م ما شمه در	Danasat	dat Dass		Diate	Danasant			Births	Percent
Delivery Type	Birtns	Percent	1St Prer	natal Visit	Birtns	Percent	Element	ary or les	S 119	2
Vaginal after			1st tr	rimester	4,282	82	Some hi	.gh school	424	8
_previous cesarean	78	1	2nd tr	imester	781	15	High so	hool	1,840	35
Forceps	33	1	3rd tr	rimester	103	2	Some co	llege	1,483	28
vaginal after previous cesarean Forceps Other vaginal Primary cesarean	3,764	72	No vis	sits	28	1	College	graduate	1,320	25
Primary cesarean	750	14	Unknov	vn	13	<.5	Unknowr	1	[^] 21	<.5
Repeat cesarean	582	11		rimester rimester sits vn						
'				Visits	Rirths	Percent	Smoking	Status		
Birthweight	Births	Percent	No vis	sits	28	1	of Mothe	r	Births	Percent
<1.500 gm	50	1.0	1-4		157	3	Smoker	•	959	18
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	274	5.3	= =		28 157 1,059 2,346	20	Nonsmok	er	4 239	81
2 500+ am	/ QQ1	03.7	5-9 10-12		2 346	20 45	Unknown	er I	9	
Unknown	7,001	90.1 - 5	13+		1 606	31	OHKHOWI		9	`.0
Olikilowii	2	\.5	I o⊤ Unknov	vn	1,606 11	<.5				
			UTIKTION	VII	1.1	<.5				
			Low Rinth	waiaht		Trimost	or of Fire	t Prenatal	Vicit	
			(under 2	nweight 500 gm) Percent	1ct Tr	imaetar	2nd Tri	mester.		Unknown
Race/Ethnicity	Rinthe D	Oncont	Rinthe E	Parcent	Rinthe	Darcan+	Rinthe	Percent	Rinthe	Percent
White	4 600 DTI (119 L	00	004 DTI (119 I	6 1	2 001	05	606	10	102	2
Dlock/Afn Amonicon	4,009	09 - E	201	10.1	3,901 14		6	13 26	3	13
Amaniaan Indian	23 016	\.5 1	ა ი	13.0	142	01	59 25	20	15 6	7
American indian	210	4	9	13.0 4.2 9.2	142	00	59	27	15	
Hispanic/Latino		.,		ני נו		- 4				
	119	_	11	9.2	88	74	25	21	6	
Laotian/Hmong	175	3	13	7.4	89	51	73	42	13	7
Laotian/Hmong Other/Unknown	175 65	3 1	13 7	7.4 10.8	88 89 48	51	73 12	42	6 13 5	5 7 8
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	175 65		The same District to the last terms of the same	and the second second	89 48	51 74	73 12	42 18	13 5	7
Laotian/Hmong Other/Unknown			The same District to the last terms of the same	and the second second	89 48	51 74	73 12	42 18 t Prenatal	13 5 Visit	7 8
	Fe	ertility	Low Birth (under 2,	nweight 500 gm)	89 48 	51 74 Trimeste imester	73 12 er of Firs 2nd Tri	42 18 t Prenatal mester	13 5 Visit Other/	7 8 Unknown
Age of Mother	Fe Births	ertility Rate	Low Birth (under 2, Births F	7.4 10.8 nweight 500 gm) Percent	89 48 1st Tr Births	51 74	73 12 er of Firs 2nd Tri Births	42 18 t Prenatal mester	13 5 Visit Other/	7 8 Unknown
Age of Mother <15	Fe Births 4	ertility Rate 	Low Birth (under 2, Births F	nweight 500 gm) Percent	89 48 1st Tr Births *	51 74 Trimeste imester Percent	73 12 er of Firs 2nd Tri Births *	42 18 t Prenatal mester Percent	13 5 Visit Other/	7 8 Unknown
Age of Mother	Fe Births 4 89	ertility Rate 	Low Birth (under 2, Births F * 7	nweight 500 gm) Percent 7.9	89 48 1st Tr Births	51 74 Trimeste imester Percent 54	73 12 er of Firs 2nd Tri Births	42 18 t Prenatal mester	13 5 Visit Other/	7 8 Unknown
Age of Mother <15	Fe Births 4 89 313	ertility Rate 	Low Birth (under 2, Births F	nweight 500 gm) Percent 7.9 7.3	89 48 1st Tr Births * 48 229	51 74 Trimeste imester Percent 54 73	73 12 er of Firs 2nd Tri Births *	42 18 t Prenatal mester Percent	13 5 Visit Other/	7 8 Unknown
Age of Mother <15 15-17	Fe Births 4 89 313	ertility Rate 	Low Birth (under 2, Births F * 7	nweight 500 gm) Percent 7.9 7.3	89 48 1st Tr Births * 48 229	51 74 Trimeste imester Percent 54 73	73 12 er of Firs 2nd Tri Births * 32 70	42 18 t Prenatal mester Percent 36	13 5 Visit Other/	7 8 Unknown
Age of Mother <15 15-17 18-19	Fe Births 4 89 313	ertility Rate 	Low Birth (under 2, Births F 7 23	nweight 500 gm) Percent 7.9 7.3	89 48 1st Tr Births * 48 229	51 74 Trimeste imester Percent 54 73	73 12 er of Firs 2nd Tri Births * 32	42 18 	13 5 Visit Other/	7 8 Unknown
Age of Mother <15 15-17 18-19 20-24 25-29	Fe Births 4 89 313 1,309 1,596	ertility Rate 	Low Birth (under 2, Births F 7 23 73 105	nweight 500 gm) Percent 7.9 7.3 5.6 6.6	1st Tr Births * 48 229 1,011 1,373	51 74 Trimeste imester Percent 54 73 77 86	73 12 er of Firs 2nd Tri Births * 32 70 245 194	42 18 	13 5 Visit Other/	7 8 Unknown
Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Births 4 89 313 1,309 1,596 1,248	ertility Rate 	Low Birth (under 2, Births F 7 23 73 105 73	nweight 500 gm) Percent 7.9 7.3 5.6 6.6 5.8	1st Tr Births * 48 229 1,011 1,373 1,089	51 74 Trimeste imester Percent 54 73 77 86 87	73 12 er of Firs 2nd Tri Births * 32 70 245 194 138	42 18 	13 5 Visit Other/	7 8 Unknown
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 4 89 313 1,309 1,596 1,248 531	ertility Rate	Low Birth (under 2, Births F 7 23 73 105 73 34	nweight 500 gm) Percent 7.9 7.3 5.6 6.6 5.8 6.4	1st Tr Births * 48 229 1,011 1,373 1,089 444	51 74 Trimeste imester Percent 54 73 77 86 87 84	73 12 er of Firs 2nd Tri Births * 32 70 245 194 138 77	42 18 	13 5 Visit Other/	7 8 Unknown
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 4 89 313 1,309 1,596 1,248 531 117	ertility Rate 	Low Birth (under 2, Births F 7 23 73 105 73	nweight 500 gm) Percent 7.9 7.3 5.6 6.6 5.8	1st Tr Births * 48 229 1,011 1,373 1,089	51 74 Trimeste imester Percent 54 73 77 86 87	73 12 er of Firs 2nd Tri Births * 32 70 245 194 138	42 18 	13 5 Visit Other/	7 8 Unknown
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 4 89 313 1,309 1,596 1,248 531	ertility Rate	Low Birth (under 2, Births F 7 23 73 105 73 34	nweight 500 gm) Percent 7.9 7.3 5.6 6.6 5.8 6.4	1st Tr Births * 48 229 1,011 1,373 1,089 444	51 74 Trimeste imester Percent 54 73 77 86 87 84	73 12 er of Firs 2nd Tri Births * 32 70 245 194 138 77	42 18 	13 5 Visit Other/	7 8 Unknown
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 4 89 313 1,309 1,596 1,248 531 117	ertility Rate	Low Birth (under 2, Births F 7 23 73 105 73 34 9	nweight 500 gm) Percent 7.9 7.3 5.6 6.6 5.8 6.4	1st Tr Births * 48 229 1,011 1,373 1,089 444 87	51 74 Trimester Percent 54 73 77 86 87 84 74	73 12 20 Tris 2nd Tri Births * 32 70 245 194 138 77 25	42 18 	13 5 	7 8

MORBIDITY				MOI	RTALITY		
REPORTED CASES OF SELECTED D		Note: Death rates (neonatal, and Perinatal and	except in postneor fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 live are per 1,000 live births culated for fewer than 20	Infant, births. plus	
Disease Campylobacter Enteritis Giardiasis Hepatitis Type A	Number 98 160 25	TOTAL DEATHS Crude Death Ra		4,355 884	Selected Underlying Cause Heart Disease (total) Ischemic heart disease	Deaths 1,141 763	Rate 232 155
Hepatitis Type B** Hepatitis NANB/C	40 174	Age 1-4	Deaths 6	Rate •	Cancer (total) Trachea/Bronchus/Lung	1,073 276	218 56
Legionnaire's Lyme Measles	0 321 0	5-14 15-19 20-34	7 24 62	65 72	Colorectal Female Breast Cerebrovascular Disease	110 70 290	22 .* 59
Meningitis, Aseptic Meningitis, Bacterial	14 0	35 - 54 55 - 64	326 392	220 709	Lower Resp. Disease Pneumonia & Influenza	228 117	46 24
Mumps Pertussis Salmonellosis	0 183 121	65-74 75-84 85+	711 1,279 1,522	1,857 4,807 12,990	Accidents Motor vehicle Diabetes	210 78 130	43 16 26
Shigellosis Tuberculosis	8 11		1,022	12,000	Infect./Parasitic Dis. Suicide		13 13
* 2004 provisional data. ** Includes all positive HBsA	α	Infant Mortality Total Infant	Deaths 26	Rate 5.0	* Based on female popul	ation.	
test results.	9	Neonatal Postneonatal Unknown	18	:	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS		
Sexually Transmitted Diseas Chlamydia Trachomatis	754	Race of Mother			Alcohol Tobacco Use		16 156
Genital Herpes Gonorrhea Syphilis	193 83 7	White Black Hispanic	24 1	5.2	Other Drugs	30	6
j.		Laoˈtian/Hmong Other/Unknown	1	:	Note: Those data are be		
IMMUNIZATIONS		Birthweight <1,500 gm	15		Note: These data are ba of crash, not on	residenc	ce.
Children in Grades K-12 by Compliance Level Compliant 8	0.098	1,500-2,499 gm 2,500+ gm Unknown	2 9			Persons F Injured 4,315	
Compliant 8 Non-compliant Percent Compliant 1	918 485.9	Perinatal	Danii		Alcohol-Related With Citation:	663	28
		Mortality Total Perinatal Neonatal	Deaths 43 18	Rate 8.2	For OWI For Speeding Motorcyclist	522 239 201	5 0 5
		Neonatal Fetal	25	4.8	Bicyclist Pedestrian	75 61	0 4

DISEASE /			Average		Charge				Average		Charge
JISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Р́ор	(Days)	Charge	Capita	AGE GROUP	Number	Р́ор	(Days)	Charge	Capita
Injury-Related	: All					Alcohol-Related	t				
	4,489	9.1	4.7	\$17,620	\$161	Total	1,740	3.5	4.5	\$6,347	\$22
<18	² 375	3.4	3.5	\$15,151	[*] \$51	18-44	² 985	5.6	3.8	\$5,109	\$29
18-44	994	5.7		\$17,620	\$100	45-64	617	4.7	5.4	\$8,029	\$38
45-64	1,082	8.2	4.8	\$19,345	\$159	Pneumonia and 1				+-,	*
65+	2,038	26.6	5.2		\$456	Total	1,911	3.9	4.5	\$9,946	\$39
Injury: Hip H	Fracture			* · · · , · · · ·	T	<18	212	1.9	2.7	\$5,674	\$11
Total	543	1.1	5.8	\$20,012	\$22	45-64	282	2.1	4.1	\$10,423	\$22
65+	490	6.4	5.8	\$19,702	\$126	65+	1,302	17.0	4.9	\$10,579	\$180
Injury: Poiso		• • •		Ţ.c,.c_	¥.==	Cerebrovascular				,	Ţ
Total	332	0.7	2.3	\$7,591	\$5	Total	1,314	2.7	4.2	\$14,889	\$40
18-44	168	1.0	2.0	\$6,259	\$6	45-64	261	2.0	4.5	\$19,519	\$39
				¥0,200	4.5	65+	1,019	13.3	4.0	\$13,108	\$174
Psychiatric						Chronic Obstruc				,	4
Total	3,135	6.4	7.5	\$7,458	\$47	Total	1,160	2.4	3.7	\$8,339	\$20
<18	564	5.1	8.5	\$6,884	\$35		123	1.1	2.0	\$3,936	\$4
18-44	1,558	8.9	6.5	\$6,604	\$59	<18 18-44 45-64	87	0.5	3.0	\$6,163	\$3
45-64	681	5.2	8.3	\$8,888	\$46	45-64	247	1.9	3.6	\$8,807	\$17
65+	332	4.3	8.3	\$9,509	\$41	65+	703	9.2	4.2	\$9,215	\$85
				40,000	* · · ·	Drug-Related				+-,	400
Coronary Heart	Disease					Total	406	0.8	6.9	\$7,490	\$6
Total	3,626	7.4	3.4	\$25,516	\$188	18-44	223	1.3	5.2	\$6,214	\$8
45-64	1,169	8.9	2.7	\$25,401	\$226					+-,	Ψ.
65+	2,302	30.0	3.8	\$25,766	\$774	Total Hospitali	izations				
00.	2,002	0010	0.0	Ψ20,700	ΨΙΙΙ	Total	59,117	120.0	4.0	\$12,025	\$1,443
Malignant Neopi	lasms (Car	cers):	A11			<18	8,323	75.4	3.2	\$5,495	\$414
Total	2,119	4.3	6.1	\$20,800	\$89	18-44	14,340	82.2	3.3	\$8,637	\$710
18-44	171	1.0	5.7	\$23,165	\$23	45-64	12,720	96.9	4.1	\$14,895	\$1,443
45-64	730	5.6	5.4	\$19,538	\$109	65+	23,734	309.8		\$14,824	\$4,592
65+	1,197	15.6	6.5	\$20,692	\$323		20,70	000.0		Ψ,σΞ.	Ψ.,σσΞ
Neoplasms: Fe	emale Brea	ist (ra	tes for	female po	opulation)	PF	REVENTABLE	HOSPIT	ALTZATI	ONS*	
Total	118		2.0	\$10,315	•	Total	7,645	15.5	3.9	\$9,397	\$146
Neoplasms: Co				÷.=,=.=	•	<18	685	6.2	2.3	\$4,407	\$27
Total	289	0.6	8.4	\$25,171	\$15	18-44		4.7		\$8,238	\$38
65+	204	2.7	8.7	\$26,465	\$70	45-64		11.0			\$118
Neoplasms: Lu			517	, 100	Ψ. Ο	65+	4,700	61.3	4.3	\$9,914	\$608
Total	201	0.4	6.0	\$20,190	\$8	00.	1,700	0110	110	φοίοιι	ΨΟΟΟ
Diabetes						 * Hospitalizations	s for cond	itions	where t	imelv and	effecti
Total	575	1.2	4.7	\$13,598	\$16	ambulatory care ca	an reduce	the lik	celihood	of hosni	talizat
65+	214	2.8	5.4	\$12,993	\$36					2cop1	